



REAL LOOK. REAL FEEL. REAL SOUND.

E-Pro Live is a revolutionary electronic drumset that looks, feels and sounds like real drums. Never before has today's drummer been offered the limitless sonic capability and realistic feel of electronic drums on a drumset built with real drum shells, real brass cymbals, and real drumset hardware, all from the percussion industry's leader, Pearl.



E-Pro Live is two kits for the price of one. E-Pro Live is made with real drums and turning your kit into a great sounding acoustic drumset is as easy as 1-2-3.

One, remove the top hoop and the Tru-Trac head. Two, replace with a regular drumhead. Three, replace the top hoop, and tune and play!





REAL SIZES



No more playing on small, black 8" pads. E-Pro Live features 10 x 6.5, 12 x 7 and 14 x 8 rack toms with a 20 x 12 bass and 14 x 4.5 snare with white heads.

REAL HARDWARE



No one makes better hardware than Pearl, and the foundation of E-Pro Live starts with the modified Icon Rack. The tom arms, shells, cymbal holders and rack are all covered by Pearl's lifetime warranty. The rack will accommodate adding more drums and cymbals.

REAL SHELLS



E-Pro Live features 6ply wood shells along with robust drum hardware and durable drum finishes. Two finishes are available: #31 Jet Black and Pearl's exclusive Artisan II finish, Quilted Maple Fade (#464).

TRU-TRAC DRUMHEADS



Pearl's Tru-Trac Electronic drumheads feature dual-zones that reproduce all of the intricacies a drummer hears when playing acoustic drums. The smooth coating on the heads makes moving from drum to drum fast and easy. The formula used to create Tru-Trac Heads produces a feel virtually identical to acoustic drums.

E CLASSIC CYMBALS



The cymbals featured on the E-Pro Live are Pearl's E-Classic high-end electronic cymbals, made with real brass. The E-Classics feel and respond to your playing just like real cymbals, because they ARE real cymbals. E-Classics feature a 3-zone plus choke 16" Ride, 13" chok-able crash and super responsive 12" Hi-Hats.

EPC2



Traditional rubber EPC2 cymbals are also available and feature a 14" 3-zone Ride, a 12" Crash, and 12" super responsive hi-hats.

re-d-box 5

The ultimate goal of a drum module is to reproduce the REAL SOUND of drums. And who better to engineer REAL SOUND than Pearl, the company who knows drums the best. The r.e.d.BOX is Pearl's drum module. R.E.D. stands for REAL ELECTRONIC DRUMS, and it's also the color of this amazing module.



INTERNAL MEMORY

RBM20

The r.e.d.BOX has 128MB of RAM. The full memory is used to accommodate the Original Acoustics of 1000 High Definition sounds and 100 High Definition kits. The sound library includes acoustic and vintage drums, electronics from beat machines to modern digital and a variety of orchestral, concert and world percussion instruments. All sounds are fully editable including Tuning, Decay, Filtering, Level, Panning and Attack. Assign effects include Reverb, EQ, Flanger, Chorus, Vibrato, Delays and Compressor.

Hi-Hat Controller

r.e.d. BOX Mounting Bracke

Sound Partners:



ePro Live Model Numbers			
Kits			
EPLX205P/B	(Complete Kit Brass Cymbals)		
EPLX205P/C	(Complete Kit Plastic Cymbals)		
Drum Comp	onents		
EDD1065T	10x6.5 Tom		
EDD1207T	12x7 Tom		
EDD1408T	14x8 Tom		
EDD2012B	20x12 Bass		
EDD1445S	14x4.5 Snare		
EDD1614F	16X14 Flr. Tom		
EDD13x7.5	13X7.5 Tom		

Cymbals		r.e.d.B
ECC16T	E-Classic 16" Ride	RBM20
ECC13D	E-Classic 13" Crash	
ECC12S	E-Classic 12" Hats	Parts
EPC14T	EPC2 14" Ride	EHH1
EPC12D	EPC2 12" Crash	CH10
EPC12S	EPC2 12" Hats	RBMM

Hardware	
DR80E	Modified Icon Rack
PCL100	(3) Pipe Clamps
CH80E	(2) Cymbal Holders
S790	(1) Snare Stand
TH900S	(3) Tom Holders
PC8	(4) Pipe Clamps
UX80	(1) Universal Clamp

MODULE CONTROLS

- a. Main Volume Controls volume level of the main out.
- b. Headphones Adjusts Headphone Volume
- c. 12 Channel Mixer Faders allow you to adjust the mix in real time while playing. Includes click volume control.
- d. LED Screen Navigate the system with ease using the soft function keys and the large backlit screen.
- e. Edit Functions Full edit functions allow you to layer sounds, edit the instruments assigned to a trigger, adjust trigger parameters, change the feel and responsiveness, and adjust the settings of your accompaniment.
- f. Value Controls Scroll through the parameters using the dial or Up/Down Buttons.
- g. Sequencer The built in sequencer allows you to record your own patterns, or play along with the pre-recorded tracks. h. Headphone Output

SPECIFICATIONS


	0	DOM D	
Sound	Sound Generator	PCM Drum Modeling	
Generator	Polyphony	64 voices	
	Wave	16 Bit Linear	
	Voice	Preset: 1000 HD Sound Library	
	Drum Kit	Preset: 100 HD kits	
	Effects	22 reverbs, 17 Insert effects, 14 EQ/COMP	
Trigger	Trigger Setup	12 Dual Trigger inputs.	
Sequencer	Note Capacity	1,000,000 events	
	Note Resolution	96 PPQ	
	Song Recording Type	Realtime and step recording	
	Song Track	2 tracks- Drum and Accomp	
	Songs	100	
Click	Tempo	30-300 BPM	
	Beat	adjustable 1-24 / 2-16	
	Click Voices	adjustable / selectable voices per beat and measure	
Other	Controllers	Sliders	
	Display	128 x 64 pixel. Graphic LCD	
	Connectors	MAIN OUT to amplifier or speaker system	
		AUX OUT to monitor system or recording device	
		AUX IN from external sound source	
		USB to Mac or PC	
		MIDI IN/OUT connect to external MIDI device	
	1	Trigger input jacks	
		PHONES (standard phone jack)	
	The second second	HI-HAT CONTROLLER	
	***	DC to 16V	
	Power Consumption	120v, 60Hz, 17.1 W- 9v 1.5 amp Ac Adapter	
	Dimensions, weight	2.5 lb- 12.5L x 7 5/8W x 2 3/8"H	
	Dimicriololo, Weight	2.0 to 12.0L x 1 3/0W x 2 3/0 11	

MEMORY SWITCH

One of the most unique features of the r.e.d.BOX module is the ability to flash the memory of the module and replace the Original Acoustics with one large and lush-sounding kit. Just follow these easy steps and you'll be on your way to playing premium kits on your E-Pro Live from the best drum sampling software companies in the world!

- 1. Visit redboxsoundshop.com to preview and purchase specially designed kits from Zildjian, Toontrack, Steven Slate, and Pearl and download the free software that allows your PC or Mac to communicate with the r.e.d.BOX.
- 2. Connect your computer to the r.e.d.BOX with a USB cable.
- 3. Launch the Memory Switch communication software and move the Original Acoustics to your computer.
- 4. Using a Mac Drag and drop the Lush kit onto the r.e.d.BOX icon which loads in 20 minutes. (Separate instructions required for PC)
- 5. Reverse the process to replace the original acoustics.
- 6. Free samples of lush sounding kits and drumless play-a-long tracks are available at redboxsoundshop.com.





OPROTRUTRAC

Since its introduction, Pearl's E-Pro Live has redefined how electronic drum sets should look and, more importantly, how they should FEEL. The secret of the E-Pro's FEEL is the Tru-Trac Electronic Drumheads that have the same rebound and the same sizes as real heads which allows drummers to transition from acoustic to electronic drums with absolutely no alteration to their playing style. The Tru-Trac Electronic Bass Drumhead is mounted to a real drum head and has the same "give" and FEEL of a real bass drum. With Tru-Trac Electronic Drumheads, the FEEL is just like playing real drums...no more playing on those 8" rubber pads!

For 2012, Pearl's Tru-Trac Electronic Drumheads are available in 2 prepacks and individual components so you can convert your own acoustic kit into an electronic kit. Both prepacks include (5) No-Drill Adapters and all necessary parts and tools to complete your kit's conversion from acoustic to electronic. Connect the pads to your favorite module, hi-hat controller and cymbals to enhance your current electronic kit, and you're good to go! Pearl's Tru-Trac Acoustic to Electronic Conversion...it's As Simple as Changing a Drum Head.





Remove the drum from the stand and remove the acoustic head.



that fits your drum, the No-Drill adapter air vent, tighten the backing plate, and atand the short and long cables.



Locate the Tru-Trac Electronic Drumhead Place the No-Drill adapter in your drum's tach the short cable.



Plug the short cable into the Tru-Trac Electronic Drumhead and place it on your drum's bearing edge.



Insert the longer supplied tension rods into your existing hoops and tighten them just enough to secure the Tru-Trac Electronic Drumhead



Ready to play, simply plug into a module or trigger interface of your choice.





FEEL YOUR DRUMS

electronic drum set or mic'ed acoustic kit and attaches to any drum throne allowing you to feel the beat without expensive monitors. Includes a 200 watt amp and all connecting cables.



- a. Pearl Throne Thumper with
- Fast Clamp attachment system
- b. 200 watt BASH Power Amplifier
- c. 2 meter Guitar Cable (1/4" male to 1/4" male connectors) d. 3 meter 14 gauge Speaker Cable (banana plugs to tinned ends)
- e. Amplifier Power Cord

PEARL PRECISION **DRUM MONITORS**

Pearl Precision Drum Monitors are reference-quality headphones with superb isolation and frequency response making them ideal for electronic drums and/or any audio source.





EXCLUSIVE NO-DRILL ADAPTER

Pearl's exclusive No-Drill Adapter fits through most any air vent and makes installing Tru-Trac Electronic Drumheads a breeze on most any acoustic kit, regardless of brand.

SNARES

REFERENCE AND REFERENCE PURE

Reference Series wood snare drums feature 20 ply shells, with 6 inner plies of Birch and 14 outer plies of Maple, making it one of the loudest wood snare drums available. The 6 inner plies of Birch provides cut and attack while the outer 14 plies of Maple provide warmth and solid midrange punch. The shell's 45 degree bearing edge provides minimum head dampening for intense crack and attack. Reference Series metal snare drums redefine the standard for metal snare drums, just as our wood Reference Series snare drums did for wood snare drums. Both feature Reference swivel lugs for perfect tension rod alignment, MasterCast die cast hoops, SR-1000 Glide Lock strainer with patented locking lever that prevents the throw-off from disengaging no matter how hard you play, and UltraSound SN-1420D Graduated Tension Snares for extended dynamic range and sensitivity.







REFERENCE PURE

	RFP1465S/C	RFP1450S/C	RFP1365S/C
Size (Dia. x Depth)	14" x 6.5"	14" x 5"	13" x 6.5"
Shell	6ply : Maple 4 + Birch 2	6ply : Maple 4 + Birch 2	6ply : Maple 4 + Birch 2
Hoops	FatTone (FH1410/1410S)	FatTone (FH1410/1410S)	FatTone (FH1308/1308S)
Lugs	STL-65	STL-55L	STL-65
Rods	_ 10	10	8
Tension Rods	SST-5047 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod
Strainer	SR-1000 Glide-Lock Strainer	SR-1000 Glide-Lock Strainer	SR-1000 Glide-Lock Strainer
Snares	SN-1420D Ultra-Sound "D" Type	SN-1420D Ultra-Sound "D" Type	SN-1320D Ultra-Sound "D" Type







	RF1465S		RF1450S		RF1365S	
Size (Dia. x Depth)	14" x 6.5"		14" x 5"		13" x 6.5"	
Shell	20ply : Mapl	e 14 + Birch 6	20ply: Map	le 14 + Birch 6	20ply : Mapl	le 14 + Birch 6
Hoops	MasterCast	(DC1410/1410S)	MasterCast	(DC1410/1410S)	MasterCast	(DC1306/1306S)
Lugs	BRL-65		BRL-55		BRL-65	
	_ 10		10		6	
Tension Rods	SST-5047	Stainless Steel Tension Rod	SST-5047	Stainless Steel Tension Rod	SST-5047	Stainless Steel Tension Rod
Strainer	SR-1000	Glide-Lock Strainer	SR-1000_	Glide-Lock Strainer	SR-1000	Glide-Lock Strainer
Snares	SN-1420D	Ultra-Sound "D" Type	SN-1420D	Ultra-Sound "D" Type	SN-1320D	Ultra-Sound "D" Type







	RFB1465	RFB1450
Size (Dia. x Depth)	14" x 6.5"	14" x 5"
Shell	3mm Brass	3mm Brass
Hoops	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)
Lugs	BRL-65	BRL-55
	10	10
Tension Rods	SST-5047 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod
Strainer	SR-1000 Glide-Lock Strainer	SR-1000 Glide-Lock Strainer
Snares	SN-1420D Ultra-Sound "D" Type	SN-1420D Ultra-Sound "D" Type







	RFS1465	RFS1450
Size (Dia. x Depth)	14" x 6.5"	14" x 5"
Shell	2.5mm Cast Steel w/ Reinforcement	2.5mm Cast Steel w/ Reinforcement
Hoops	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)
Lugs	BRL-65	BRL-55
Rods	10	10
Tension Rods	SST-5047 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod
Strainer	SR-1000 Glide-Lock Strainer	SR-1000 Glide-Lock Strainer
Snares	SN-1420D Ultra-Sound "D" Type	SN-1420D Ultra-Sound "D" Type



Moisters

MASTERS PREMIUM







	MMP1465S/C	MRP1455S/C	BMP1465S/C
Size (Dia. x Depth)	14" x 6.5"	14" x 5.5"	14" x 6.5"
Shell	4 ply Maple w/4ply Maple Reinforcement Rings	6 ply Maple	4 ply Birch w/4ply Birch Reinforcement Rings
Hoops	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)
Lugs	STL-65	STL-55	STL-65
Rods	10	10	10
Tension Rods	SST-5047 Stainless Steel Tension Rod	SST-5055 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod
Strainer	SR-017	SR-017	SR-017
Snares	S-022N	S-022N	S-022N







	BMP1455S/C	BRP1465S/C	BRP1455S/C
Size (Dia. x Depth)	14" x 5.5"	14" x 6.5"	14" x 5.5"
Shell	4 ply Birch w/4ply Birch Reinforcement Rings	6 ply Birch	6 ply Birch
Hoops	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)
Lugs	STL-55	STL-65	STL-55
Rods	10	10	10
Tension Rods	SST-5055 Stainless Steel Tension Rod	SST-5047 Stainless Steel Tension Rod	SST-5055 Stainless Steel Tension Rod
Strainer	SR-017	SR-017	SR-017
Snares	S-022N	S-022N	S-022N

MASTERS MCX







	MCX1465S/C	MCX1455S/C	MCX1455S/C
Size (Dia. x Depth)	14" x 6.5"	14" x 5.5"	14" x 5.5"
Shell	6 ply Maple	6 ply Maple	6 ply Maple
Hoops	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)	MasterCast (DC1410/1410S)
Lugs	CL-65	CL-55	CL-55
Rods	10	10	10
Tension Rods	T-061L	T-062	T-062
Strainer	SR-017	SR-017	SR-017
Snares	S-022N	S-022N	S-022N

Pearl's Masters Premium Series snare drums feature revolutionary swivel lugs that assure perfect tension rod to lug alignment for optimal head seating and precision tuning. MasterCast die-cast hoops, stainless steel tension rods, innovative "Golden Ratio" air vents for increased attack, and a "vertical pull" SR-017 strainer all come standard on these spectacular snare drums. Masters Premium snare drums are available in a total of 31 finishes including 26 super high gloss lacquer finishes and 8 premium Delmar covered finishes, 3 of which are glass glitter finishes with real glass flakes for incredible radiance.







ULTRACAST

UltraCast has turned into a modern gothic novel. An experiment gone awry. A monster in the truest sense. We set out to make a precision milled cast Aluminum shell that would project energy and be heard over the chaos of a live band. UltraCast has done that beyond our wildest dreams.







	UCA1465/B		UCA1450/B	
Size (Dia. x Depth)	14" x 6.5"		14" x 5"	
Shell	3mm Cast Aluminum w/Reinforcement		3mm Cast A	luminum w/Reinforcement
Hoops	SuperHoop II (SHB1410B/1410S)		SuperHoop	II (SHB1410B/1410S)
Lugs	TB-65B		TB-50B	
Rods	_10		_10	
Tension Rods	SST-5042 Stainless Steel Ten	sion Rod	SST-5042	Stainless Steel Tension Rod
Strainer	SR-1000 Glide-Lock Straine		SR-1000	Glide-Lock Strainer
Snares	SN-1420C Ultra-Sound"C"Typ	<u>e</u>	SN-1420C	Ultra-Sound"C"Type

SR-1000 GLIDE-LOCK STRAINER

Pearl's SR-1000 Strainer, used on UltraCast snare drums, features two locking systems for 100% slip-proof security. The strainer lever locks securely and releases at the push of a button (US Patent #7,220,905) The tension adjuster also locks and adjusts by pushing and turning the tension knob (US Patent #7,365,256). Low-Friction Plates (US Patent #7,301,087) assure silky smooth action and tight tolerances for precise snare settings.





-david agoglia REV THEORY

FREE FLOATING SYSTEM

Pearl Free Floating Snares feature a patented system with no hardware attached to the shells. With nothing to encumber its ringing clarity the shells are free to vibrate with unbridled response and truest articulation. Pearl Free Floating System snare drums are available in several sizes in Steel and 6 ply premium Maple. All Free Floaters feature our SR-1000F Glide-Lock Strainer with locking snare tension knob and patented locking throwoff lever that will not loosen no matter how hard you play.





EFFECT

These versatile drums can be used for secondary effects or as your main snare drum. They're available in a range of sizes to complement any musical style.

Size (Dia. x Depth)	14" x 3.5"
Shell	1mm Steel
Hoops	RIM1410B/1410S
Lugs	FT-35
Rods	10
Tension Rods	T-060
Strainer	SR-1000F Glide-Lock Strainer
Snares	SN-1420LLlltra-Sound "I" Type



ING FOR A LEGEND THERE CAN BE NO COMPROMISE IN MY DRUMS."

stanley randolph STEVIE WONDER

6 Ply Maple







Size (Dia. x Depth) 14" x 3.5)"
Hoops MasterC	ast (DC1410/DC1410S)
Lugs FT-35	
Rods 10	
Tension Rods SST-503	5 Stainless Steel Tension Rod
Strainer SR-1000	F Glide-Lock Strainer
Sparge SN-1420	Ultra-Sound "I" Type

Snares SN-1420I Ultra-Sound "I" Type

Size (Dia. x Depth)

Luas

Rods

Strainer

Tension Rods

14" x 5"

SST-5042

SR-1000F

10

MasterCast (DC1410/DC1410S)

Glide-Lock Strainer



Size (Dia. x Depth)

Hoops

Rods Tension Rods

Strainer







FCS1050	FCS1250	FCP1050	FCP1250
10" x 5"	12" x 5"	10" x 5"	12" x 5"
1.0mm Steel	1.0mm Steel	8ply Poplar	8ply Poplar
1.6mm Steel (RIM1006/1006SL)	1.6mm Steel (RIM1206/1206SL)	1.6mm Steel (RIM1006/1006SL)	1.6mm Steel (RIM1206/1206SL)
CL-50	CL-50	CL-50	CL-50
6	6	6	6
T-062	T-062	T-062	T-062
SR-018	SR-018	SR-018	SR-018
S-032	S-031	S-032	S-031





As the name implies these explosive

small package. FireCracker snare drums

are available in 12" x 5" and 10" x 5" sizes in your choice of 8 ply Poplar or Steel. Light

deliver huge sound from a













		M1040	Sopranino	M1060	Popcorn	M1270	Soprano	B1330	Piccolo	S1330B	Piccolo	M1330	Piccolo	M1440	Piccolo
Size (D	Dia. x Depth)	_ 10" x 4"		10" x 6"		12" x 7"		13" x 3"		13" x 3"		13" x 3"		14" x 4"	
	Shell	_ 6 ply Maple		6 ply Maple		8 ply Maple		Brass		Steel		6 ply Maple		6 ply Maple	
	Hoops	1.6mm Steel (RIM1006/1	006SL) w/l.S.S.	SuperHoop II (SH1006/1	006S)	1.6mm Steel (RIM120	8B/1208S)	1.6mm Steel (RIM1308B/1308	8S)	_1.6mm Steel (RIM13	08B/1308S)	1.6mm Steel (RIM130	8B/1308S)	1.6mm Steel (RIM1	410B/1410S)
	Lugs	CL-05		CL-65		CL-100		CL-05		CL-05		CL-05		CL-05	
	Rods	6		6		8		8		8		8		10	
Te	ension Rods	SST-5038 Stainless Steel	Tension Rod	SST-5035 Stainless Stee	l Tension Rod	SST-5047 Stainless S	teel Tension Rod	T-055		T-055		T-055		SST-5042	
	Strainer	SR-018		SR-018		SR-018		SR-018		SR-018		SR-018		SR-018	
	Snares	S-032N		S-032N		S-031N		S-029N		S-029N		S-029N		S-022N	



JOEY JORDISON

Joey Jordison has a reputation as one of the most influential, respected and successful drummers in the world today. Playing stadiums worldwide with Slipknot, Joey needed a snare drum with a higher pitch, monster bite, and this 13"x6.5" 1mm Steel shell Power Piccolo delivers the rage and power you'd expect from Joey.



JJ	136	3	5
0:	/D:-		n -

991999
Size (Dia. x Depth) : 13" x 6.5"
Shell: Steel, Black Finish
Hoops: SuperHoop II
Lugs: CL-65B
Rods: 8
Tension Rods: SST-5047 Stainless Steel
Strainer: SR-017B
Snares · SN-029N



DENNIS CHAMBERS

As one of the world's most respected International session musicians and clinicians, Dennis' signature snare drum has outstanding sound and tonal dynamics. This top specification drum includes a wide range of features to help you achieve the perfect sound.



DC1465

Size (Dia. x Depth) :	14" X 6.5"
Shell:	4 Ply Maple
	w/4 ply Maple Reinforcement Rings
Hoops:	MasterCast (DC1410 / DC1410SG)
Lugs :	CL-100
Rods:	10
Tension Rods :	SST-5047 Stainless Steel Tension Rod
Strainer :	3-Way Adjustable / SR-020 on both sides
Snares :	S-030N
Color :	#136 Opal White




VIRGIL DONATI

Virgil has pushed back the barriers of playing drums with his innovative use of the instrument, complex rhythms, creative phrasing and extreme speed, and naturally he has taken great care to design a unique snare drum. Using a 8 ply blended shell, rounded bearing edges and a totally flat snare bed, Virgil's signature snare drum is as state-of-


VG1450	
Size (Dia. x Depth) :	14" X 5"
Shell:	8 Ply (Outer: 4 ply Maple / Inner: 4 Ply Birch)
Hoops:	MasterCast (DC1410 / DC1410S)
Lugs :	TB-50
Rods:	
Tension Rods :	SST-5042 Stainless Steel Tension Rod
Strainer :	SR-017
Snares :	SN-022N
Color :	#188 Smoke Fade


SIGNATURE SERIES

Imagine being able to capture the elusive sound of your drumming idol. Pearl's extensive line of Signature Series Snares gives you an opportunity to own a snare developed with input from the pros. We offer snares from some of the world's greatest players, and they're all available at your Pearl Dealer.



Explosive, versatile and funky...these words not only describe Chad's playing with the Red Hot Chili Peppers, but also describe the sound of his awesome signature snare drum. One of the best selling drums in Pearl's arsenal, the Chad Smith snare drum will help bring your groove to the next level.





Having played the drums for Sting, Madonna and David Bowie, to name but a few, Omar was looking for a unique sound in designing his signature snare drum. The 13" x 5" shell has a power piccolo sound while the Mahogany helps to produce the perfect blend of sonic power, projection and tonal color.

OH1365 Size (Dia. x Depth): 13" X 5" Shell: 6 Ply African Mahogany Hoops: SuperHoop II (SH1308B / 1308S Lugs: CL-55 Rods : 8 Tension Rods: SST-5047 Stainless Steel Tension Rod Strainer: SR-015 Snares: SN-029N

Color: #140 Natural Mahogany



Deep Purple's legendary drummer designed this snare drum to have classic looks and classic sound with modern technology. The 6.5" steel shell will give you a big rock sound, and the locking nuts will help your drum to "stay tuned all night".



Size (Dia. x Depth) : 14" X 6.5"
Shell: Beaded Sheet Steel
Hoops: SuperHoop II (SH1410B / 1410S)
Lugs: TB-65
nous: 10
SSI-5042 Stainless Steel Tension Rod
Strainer : _{SB-017}
Snares : S-022N

ROCKET TOMS Rocket Toms are the perfect accent for your kit

tuned 6" 6" 6"

	nelodically matic fills.	
' x 12"	AL-612	
' x 15"	AL-615	
' x 18"	AL-618	
' x 21"	AL-621	
		The second secon


#103 Piano Black Lacquer, #109 Arctic White Lacquer



JUNGLE GIG The Jungle Gig allows the conversion of virtually any 16" floor to a bass drum. Very portable and perfect for small gigs. I.S.S. or

Optimount sold separately





TAILOR MADE TO YOUR FOOT With seemingly endless adjustments, the Demon Drive and Demon Chain can be tuned to your specific taste.



DUO-DECK LONGBOARD

Converts quickly from shortboard to long board via 8 screws under footplate for your choice of feel. US PAT. # 72626107



ADJUSTABLE TRACTION PLATE The Aluminum Traction Dots are fully adjustable to vary the amount of slip or grip for your playing style.



Z LINK DRIVE SHAF Adjustable machined Aluminum for perfect positioning and backlash-free energy transference for precise feel.



CLICK LOCK SPRING TENSION The Click Lock prevents the tension knob from loosening. Simply flip up for adjustment.

US PAT. # 7754953



CONTROL CORE BEATERS The standard Control Core Felt and the optional wood beater feature and anti-vibration elastomer core. US PAT. #7626108



All Demon Drive pedals come standard with a carry case to

protect your pedal from the wear and tear of travel.



BEATER STROKE ADJUSTMENT A choice of 2 positions for Finesse or Power. Simply loosen the clamshell to change position. US PAT. # 7579540



FOOTBOARD HEIGHT ADJUSTMENT Loosen and rotate to change footboard height. Rotation is clearly indexed for ease of setup.



DIRECT LINK ADJUSTMENT The 2 position direct link adjusts for a choice of light or heavy feel (Demon Drive Only)



ZERO LATENCY U-JOINTS Zero latency Z-Link U-joints are backlash-free to promote optimal feedback for incredible speed and control.




speed and double chain construction for power and dependability. (Demon Chain Only)



The Perfect Circle Cam provides consistent and smooth feel throughout the entire stroke for pinpoint accuracy and superb control. (Demon Chain Only)

DEMON DRIVE





DEMON CHAIN









INTERCHANGEABLE CAM SYSTEM

Our exclusive Cam System provides six (included Strong 4 + optional 2) interchangeable color coded cams allowing you to quickly change the power and feel of the pedal to suit your individual playing needs. Changing from cam to cam is as simple as pushing the release button and snapping another cam in place.



| P-2000 | SERIES

smooth feel.

WHITE DVERSIZED LINEAR CAM

PROGRESSIVE CAM This is Pearl's original "perfect The White Cam is a slightly over sized This is the very popular "off- The Red Cam features an extreme The Purple cam provides aggressive The Yellow cam provides a slight circle" Cam design. It offers "perfect circle" Cam. It offers a very center" axis type cam design. It "off-center" axis design. The action acceleration for huge power and re-inverse action. When maximum superior power and a very natural, natural, smooth action, with great offers a light feel in the beginning is similar to the Blue Cam but with sponse, second only to the Red cam. power is required, this is the cam perfectly balanced action and power and balance, with a slightly that accelerates with speed and a lighter feel at the beginning of the

BLUE

RADICAL PROGRESSIVE CAM AGGRESSIVE ACTION CAM



POWERSHIFTER

US.PAT.5574237

Our revolutionary PowerShifter function provides 3 positions to fine tune the power and feel of the pedal. By moving the footboard forward or back you change the chain or belt drive angle, thus changing the leverage to create a light, normal or strong feel.

INDEPENDENT TRACTION GRIPS

PowerShifter Fliminator's Traction Plate footboard insert allows you to remove and reconfigure each individual traction grip to suit your exact playing requirements. From maximum grip to full slide, and every option in between, the choice is yours. The Traction Plate also reverses to focus the slide or grip surfaces to either the toe or heel of the pedal.







ZERO PLAY HINGE

Our stainless steel hinge is manufactured with incredibly precise tolerences to prevent play between the footboard and heel yet provides maximum freedom of motion for blazing speed.(US.PAT.7179978)

FOOTBOARD ANGLE ADJUSTMENT

Footboard angle is easily adjusted and completely independent from beater angle allowing you to further fine tune the feel and action of your pedal.

ROLLER CAM HODE CLAMP

Our Roller Cam Hoop Clamp multiplies each turn of the adjustment knob to speed the process of attaching the pedal to the hoop. It fits an extremely wide range of hoop thicknesses and offers the smoothest, most secure grip possible. (US.PAT.5726370)

WIDE TENSION-RANGE SPRING

Our counter spring has been designed to perfectly compliment the weight and balance of the footboard and beater assembly. It also offers a much wider range of adjustability allowing you to fine tune the pedal tension to suit your playing style.

LINI-PRESSURE SPRING CLAMP

Our Uni-Pressure Spring Clamp System grips a full 360 degrees and allows infinite beater angle adjustments. Featuring a unique Floating Spring Pendulum design that is perfectly centered on the clamp, this system offers full precision bearing movement for unmatched smoothness.

QUADBEATER

Our QuadBeater provides four different beater surfaces, each with its own distinct sound. You can choose from 2 hard plastic surfaces or 2 felt surfaces and either pinpoint or line contact with the head.

DUOBEAT

The DuoBeat Beater offers two different faces, plastic and felt, adding great versatility of sound over single surface beaters. It's like getting two beaters for the price of one.





DUOBEAT

PLASTIC

BEATER WEIGHT BW-100 (US.PAT.7122730

The BW-100 Beater Weight features a main body (10.4 gram) and two removable add-on weights Black (7.2 grams) and Silver (5.8 grams) that can be added or subtracted to achieve perfect

POWERSHIFTER

The P-900 is jam packed with high-end

chain drive, patented PowerShifter,

infinitely adjustable beater

angle, and PowerPlate.

P-900

DOUBLE PEDAL COMPLETE

DOUBLE PEDAL COMPLET

DOUBLE PEDAL CONVERSION (RIGHT-FOOTED)

P-902

P-901

P-902L

features such as a linear round cam, single

DRUM PEDALS

P-900

SERIES





P-2000 SERIES come standard with Custom Carry bags

PEARL DRUM PEDALS

FLARE	DRUM F	LDALJ				
	POWE	RSHIFTER ELIMI	NATOR P-2000 !	SERIES	P-90) SERIES
MODEL	P-2000C	P-2002C	P-2000B	P-2002B	P-900	P-902
DRIVE	Double	Chain	Вє	elt	Single Chain	
CAM		Interchanç	geable Cam		Alminum	Die-Cast Wheel
POWERSHIFTER	•	•	•	•	•	•
F00TB0ARD	***************************************	TractionPlate	& TractionGrip			
FOOTBOARD ANGLE		3 Pos				
BEATER		QUAD E		DUO BEAT		
BEATER ANGLE		Uni-Pressure	Beater Angle Cam			
SPRING ROLLER		Bea				ess Roller
LIOOD CLAMD		Dallar Can				